

WAFER HANDLING TWEEZERS

WAFERPINZETTEN

Designed with care for all different and delicate appliances of Gallium or Silicon Wafers. Smooth polished surface on the inside of the paddle in order to prevent chipping and marring the wafer. Satin finish on the outside of the paddle for glare prevention. Stopping pins, turned up lateral edges and graduated lower paddles prevent the Wafers from slipping. Each Wafer size has its corresponding tweezers size (e.g. for an 8" Wafer take tweezers with a No.8). Teflon coating or other available.

Für das sanfte Handling empfindlicher Gallium oder Silizium Wafer. Innen mit glatt polierter Oberfläche, um Beschädigungen am Wafer zu vermeiden, aussen eine glasperlengestahlte, satinierte Oberfläche für blendfreies Arbeiten. Stopp-Bolzen, nach oben gebogene seitliche Kanten und eine untere Schaufel mit Anschlagwinkel verhindern das Wegrutschen der Wafer. Jede Wafer-Grösse hat ihre Pinzettengrösse (z.B. 8" Wafer /Pinzette Nr. 8). Teflon- und andere Beschichtungen lieferbar.


43LB-4 Peek 138 mm 5 1/2"

43LB-4 Polyamide 138 mm 5 1/2"

	B	C	D	E	M	N	R	S	
mm	13	21	4	6	5	9	1.5	61	35
inch	1/2	3/4	1/8	1/4	1/8	1/2	1/16	2 1/2	1 3/8

Peek: ESD safe Δ , 105 Ω x cm soft, conductive fiber tips, heat resistance up to 250°C (short exposure 300°C).
Polyamide: ESD safe Δ , 103 Ω x cm, heat resistance up to 175°C.

Peek: ESD sicher Δ , 105 Ω x cm weiche, leitfähige Fiberspitzen, hitzebeständig bis 250°C (kurzzeitig bis 300°C).
Polyamide: ESD sicher Δ , 103 Ω x cm, hitzebeständig bis 175°C.




43LB-8 Peek 138 mm 5 1/2"

43LB-8 Polyamide 138 mm 5 1/2"

	B	C	D	E	F	M	N	R	S
mm	27	21	4	6	5	11	1.5	61	35
inch	1	3/4	1/8	1/4	1/8	1/2	1/16	2 1/2	1 3/8


技术咨询与报价
 电话: 18823303057 QQ:2104028976



See above.
 Wie oben.


37S-1 120 mm 4 3/4"

	E	M	N	P	R	S
mm	3	10	1.5	50	46	35
inch	1/8	1/2	1/16	2	1 3/4	1 3/8




37S-2 120 mm 4 3/4"

	E	M	N	P	R	S
mm	4.5	10	1.5	50	46	35
inch	1/6	1/2	1/16	2	1 3/4	1 3/8




37S-3 120 mm 4 3/4"

	E	M	N	P	R	S
mm	6	10	1.5	50	46	35
inch	1/4	1/2	1/16	2	1 3/4	1 3/8




39S-4 128 mm 5"

	B	C	E	F	M	N	R	S
mm	12.5	10	2	6	9	1.5	48	4
inch	1/2	1/2	1/12	1/4	1/8	1/16	1 3/4	1 2/3




2LB/4 128 mm 5"

	B	C	D	E	F	M	N	R	S
mm	12.5	10	3	2	4	9	2	48	42
inch	1/2	1/2	1/8	1/12	1/8	1/8	1/12	1 3/4	1 2/3



2LB-P 130 mm 5 1/8"

	B	C	D	E	F	M	N	R	S
mm	16	9	3	2	4	11	2	52	42
inch	2/3	1/2	1/8	1/12	1/8	1/2	1/12	2	1 2/3




WAFER HANDLING TWEEZERS

WAFERPINZETTEN


NW 130 mm 5 1/3"

	B	C	M	N	R	S
mm	16	6	11	2	52	42
inch	1/2	1/4	1/2	1/12	2	1 7/8




42LB-4 128 mm 5"

	B	C	D	E	F	M	N	R	S
mm	12.5	8	3	2	5	9	1.5	48	42
inch	1/2	1/3	1/8	1/12	1/5	1/3	1/16	1 3/4	1 7/8




42LB-5 128 mm 5"

	B	C	D	E	F	M	N	R	S
mm	16	9	3	2	4	11	2	52	42
inch	1/2	1/3	1/8	1/12	1/6	1/2	1/12	2	1 7/8




42LB-6 130 mm 5 1/8"

	B	C	D	E	F	M	N	R	S
mm	19.5	8	3	3	4	11	2	52	42
inch	3/4	1/3	1/8	1/6	1/6	1/2	1/12	2	1 7/8




41LB-6P 130 mm 5 1/8"

	B	C	D	E	F	M	N	R	S
mm	19.5	8	3	3	4	11	2	52	42
inch	3/4	1/3	1/8	1/6	1/6	1/2	1/12	2	1 7/8




41LB-2 128 mm 5"

	B	C	E	F	M	N	R	S
mm	6	7	2	3	9	1.5	52	42
inch	1/4	1/4	1/12	1/8	1/3	1/16	2	1 7/8




41LB/4 130 mm 5 1/8"

	B	C	E	F	M	N	R	S
mm	12.5	9	2	3	10	1.5	48	42
inch	1/2	1/3	1/12	1/8	1/3	1/16	1 3/4	1 7/8




41LB-5 132 mm 5 1/4"

	B	C	E	F	M	N	R	S
mm	16	9	2	3	11	2	52	42
inch	1/4	1/3	1/12	1/8	1/2	1/12	2	1 7/8




41LB-6 130 mm 5 1/8"

	B	C	E	F	M	N	R	S
mm	19.5	9	2	3	11	2	52	42
inch	3/4	1/3	1/12	1/8	1/2	1/12	2	1 7/8



41LB-8 135 mm 5 1/3"

	B	C	E	F	M	N	R	S
mm	27	9	2	3	12	2	56	42
inch	1	1/3	1/12	1/8	1/2	1/12	2 1/4	1 7/8




WAFER HANDLING TWEEZERS

WAFERPINZETTEN


43LB-10 190 mm 7 1/2"

	B	C	D	E	F	M	N	R	S
mm	33.5	20	7	2	3	13	2	77	42
inch	1 1/5	3/4	1/4	1/12	1/8	1/2	1/12	3	1 2/5




43LB-12 200 mm 7 3/4"

	B	C	D	E	F	M	N	R	S
mm	40	26	7	2	3	13	2	86	42
inch	1 1/2	1	1/4	1/12	1/8	1/2	1/12	3 1/2	1 2/5




43LB-14 208 mm 8 1/4"

	B	C	D	E	F	M	N	R	S
mm	48.5	35	8	2	3	13	2	95	42
inch	2	1 3/8	1/2	1/12	1/8	1/2	1/12	3 3/4	1 2/5



41LB-6/8 215 mm 8"

	B	C	E	F	M	N	R	S
mm	19.5	9	2	3	11	2	70	90
inch	3/4	1/3	1/12	1/8	1/2	1/12	2 3/4	3 1/2




WAFER HANDLING TWEEZERS

WAFERPINZETTEN


ARG 130 mm 5 1/8"

	B	C	D	E	F	M	N	R	S
mm	60	3	3	3	3	11	2	52	42
inch	2 1/2	1/8	1/8	1/8	1/8	1/2	1/12	2	1 7/8




43LB-5 135 mm 5 1/3"

	B	C	E	F	M	N	R	S
mm	16	9	2	3	11	2	56	42
inch	5/8	3/8	1/16	1/8	1/2	1/12	2 1/4	1 7/8



ARG/P 130 mm 5 1/8"

	B	C	D	E	F	M	N	R	S
mm	60	3	3	3	3	11	2	52	42
inch	2	1/8	1/8	1/8	1/8	1/2	1/12	2	1 7/8



1C300 see page 77 / siehe Seite 77